

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Locat
Model/Serial Number: 824 / A3050
Firmware/Software Revs: 4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 1
Note1:
Note2:

Overall Measurement

Start Time: 30-Nov-2005 12:43:48
Elapsed Time: 00:15:00.0
Leq: 55.7 dBA
SEL: 85.3 dBA
Dose: (8 hr) 0.0 %
Proj. Dose: 0.0 %
Threshold: 0 dB
Criterion: 90 dB
Exchange Rate: 3 dB

Current Measurement

Start Time: 30-Nov-2005 12:43:48
Elapsed Time: 00:15:00.0
Leq: 55.7 dBA
SEL: 85.3 dBA
Dose: (8 hr) 0.0 %
Proj. Dose: 0.0 %
Threshold: 0 dB
Criterion: 90 dB
Exchange Rate: 3 dB

Min: 46.2 dBA 30-Nov-2005 12:54:25
Max: 65.2 dBA 30-Nov-2005 12:51:15
Peak-1: 91.2 dBF 30-Nov-2005 12:55:40
Peak-2: 79.7 dBA 30-Nov-2005 12:51:15

Min: 46.2 dBA 30-Nov-2005 12:54:25
Max: 65.2 dBA 30-Nov-2005 12:51:15
Peak-1: 91.2 dBF 30-Nov-2005 12:55:40
Peak-2: 79.7 dBA 30-Nov-2005 12:51:15

Ln Start Level: 15 dB
L1.00 61.1 dBA L90.00 50.7 dBA LDN: 55.7 dBA
L5.00 59.7 dBA L95.00 49.3 dBA CNEL: 55.7 dBA
L50.00 54.8 dBA L99.00 47.3 dBA Overall Leq: 55.7 dBA

Detector: Slow

Weighting: A

SPL Exceedance Level 1: 115.0 Exceeded: 0 times
SPL Exceedance level 2: 120 Exceeded: 0 times
Peak-1 Exceedance Level: 140 Exceeded: 0 times
Peak-2 Exceedance Level: 140 Exceeded: 0 times

Hysteresis: 2

Overloaded: 0 time(s)

Paused: 0 times for 00:00:00.0

Calibrated: 30-Sep-2005 10:48:13
Checked: 30-Nov-2005 12:39:33
Calibrator 4259
Cal Records Count: 0

Offset: -45.8 dB
Level: 114.0 dB
Level: 114.0 dB

Interval Records: Enabled
History Records: Enabled
Exceedance Records: Disabled
Daily Records: Disabled
Run/Stop Records:

Number Interval Records: 1
Number History Records: 62
Number Exceedance Records: 0
Number Daily Records: 0
Number Run/Stop Records: 2

824 Memory: 2097152 bytes

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Location 1.
Model/Serial Number: 824 / A3050
Firmware/Software Rev4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 1
Notel:
Note2:

Overall Any Data

Start Time: 30-Nov-2005 12:43:48
Elapsed Time: 00:15:00.0

	A Weight	C Weight	Flat
Leq:	55.7 dBA	67.7 dBC	69.3 dBF
SEL:	85.3 dBA	97.3 dBC	98.8 dBF
Peak:	79.7 dBA	90.2 dBC	91.2 dBF
30-Nov-2005 12:51:15		30-Nov-2005 12:55:40	30-Nov-2005 12:55:40
Lmax (slow):	65.2 dBA	83.1 dBC	84.1 dBF
30-Nov-2005 12:51:15		30-Nov-2005 12:55:41	30-Nov-2005 12:55:41
Lmin (slow):	46.2 dBA	58.9 dBC	60.6 dBF
30-Nov-2005 12:54:25		30-Nov-2005 12:44:21	30-Nov-2005 12:44:21
Lmax (fast):	68.0 dBA	85.0 dBC	85.9 dBF
30-Nov-2005 12:51:15		30-Nov-2005 12:55:40	30-Nov-2005 12:55:40
Lmin (fast):	45.5 dBA	56.9 dBC	58.9 dBF
30-Nov-2005 12:52:25		30-Nov-2005 12:54:21	30-Nov-2005 12:54:21
Lmax (impulse):	68.8 dBA	85.9 dBC	86.8 dBF
30-Nov-2005 12:51:07		30-Nov-2005 12:55:40	30-Nov-2005 12:55:40
Lmin (impulse):	45.7 dBA	59.6 dBC	61.8 dBF
30-Nov-2005 12:54:25		30-Nov-2005 12:54:21	30-Nov-2005 12:54:29

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Location 1.
Model/Serial Number: 824 / A3050
Firmware/Software Rev4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 1
Notel:
Note2:

Current Any Data

Start Time: 30-Nov-2005 12:43:48
Elapsed Time: 00:15:00.0

	A Weight	C Weight	Flat
Leq:	55.7 dBA	67.7 dBC	69.3 dBF
SEL:	85.3 dBA	97.3 dBC	98.8 dBF
Peak:	79.7 dBA	90.2 dBC	91.2 dBF
30-Nov-2005 12:51:15		30-Nov-2005 12:55:40	30-Nov-2005 12:55:40
Lmax (slow):	65.2 dBA	83.1 dBC	84.1 dBF
30-Nov-2005 12:51:15		30-Nov-2005 12:55:41	30-Nov-2005 12:55:41
Lmin (slow):	46.2 dBA	58.9 dBC	60.6 dBF
30-Nov-2005 12:54:25		30-Nov-2005 12:44:21	30-Nov-2005 12:44:21
Lmax (fast):	68.0 dBA	85.0 dBC	85.9 dBF
30-Nov-2005 12:51:15		30-Nov-2005 12:55:40	30-Nov-2005 12:55:40
Lmin (fast):	45.5 dBA	56.9 dBC	58.9 dBF
30-Nov-2005 12:52:25		30-Nov-2005 12:54:21	30-Nov-2005 12:54:21
Lmax (impulse):	68.8 dBA	85.9 dBC	86.8 dBF
30-Nov-2005 12:51:07		30-Nov-2005 12:55:40	30-Nov-2005 12:55:40
Lmin (impulse):	45.7 dBA	59.6 dBC	61.8 dBF
30-Nov-2005 12:54:25		30-Nov-2005 12:54:21	30-Nov-2005 12:54:29

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Locat
Model/Serial Number: 824 / A3050
Firmware/Software Revs: 4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 2
Notel:
Note2:

Overall Measurement

Start Time: 30-Nov-2005 13:09:35
Elapsed Time: 00:15:00.0
Leq: 61.1 dBA
SEL: 90.6 dBA
Dose: (8 hr) 0.0 %
Proj. Dose: 0.1 %
Threshold: 0 dB
Criterion: 90 dB
Exchange Rate: 3 dB

Current Measurement

Start Time: 30-Nov-2005 13:09:35
Elapsed Time: 00:15:00.0
Leq: 61.1 dBA
SEL: 90.6 dBA
Dose: (8 hr) 0.0 %
Proj. Dose: 0.1 %
Threshold: 0 dB
Criterion: 90 dB
Exchange Rate: 3 dB

Min: 49.2 dBA 30-Nov-2005 13:15:01
Max: 70.2 dBA 30-Nov-2005 13:15:16
Peak-1: 95.1 dBF 30-Nov-2005 13:10:48
Peak-2: 91.5 dBA 30-Nov-2005 13:20:39

Min: 49.2 dBA 30-Nov-2005 13:15:01
Max: 70.2 dBA 30-Nov-2005 13:15:16
Peak-1: 95.1 dBF 30-Nov-2005 13:10:48
Peak-2: 91.5 dBA 30-Nov-2005 13:20:39

Ln Start Level: 15 dB
L1.00 68.4 dBA L90.00 52.3 dBA LDN: 61.1 dBA
L5.00 66.2 dBA L95.00 51.4 dBA CNEL: 61.1 dBA
L50.00 58.9 dBA L99.00 50.0 dBA Overall Leq: 61.1 dBA

Detector: Slow

Weighting: A

SPL Exceedance Level 1: 115.0 Exceeded: 0 times
SPL Exceedance level 2: 120 Exceeded: 0 times
Peak-1 Exceedance Level: 140 Exceeded: 0 times
Peak-2 Exceedance Level: 140 Exceeded: 0 times
Hysteresis: 2
Overloaded: 0 time(s)
Paused: 0 times for 00:00:00.0

Calibrated: 30-Sep-2005 10:48:13
Checked: 30-Nov-2005 12:39:33
Calibrator 4259
Cal Records Count: 0

Offset: -45.8 dB
Level: 114.0 dB
Level: 114.0 dB

Interval Records: Enabled
History Records: Enabled
Exceedance Records: Disabled
Daily Records: Disabled
Run/Stop Records:

Number Interval Records: 1
Number History Records: 62
Number Exceedance Records: 0
Number Daily Records: 0
Number Run/Stop Records: 2

824 Memory: 2097152 bytes

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Location 2.
Model/Serial Number: 824 / A3050
Firmware/Software Rev4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 2
Note1:
Note2:

Overall Any Data

Start Time: 30-Nov-2005 13:09:35
Elapsed Time: 00:15:00.0

	A Weight	C Weight	Flat
Leq:	61.1 dBA	70.9 dBC	71.6 dBF
SEL:	90.6 dBA	100.4 dBC	101.2 dBF
Peak:	91.5 dBA	95.1 dBC	95.1 dBF
30-Nov-2005 13:20:39		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmax (slow):	70.2 dBA	87.6 dBC	88.0 dBF
30-Nov-2005 13:15:16		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmin (slow):	49.2 dBA	61.3 dBC	62.4 dBF
30-Nov-2005 13:15:01		30-Nov-2005 13:18:11	30-Nov-2005 13:18:11
Lmax (fast):	72.8 dBA	89.9 dBC	90.3 dBF
30-Nov-2005 13:15:16		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmin (fast):	48.3 dBA	59.5 dBC	60.5 dBF
30-Nov-2005 13:22:42		30-Nov-2005 13:18:10	30-Nov-2005 13:14:33
Lmax (impulse):	74.2 dBA	90.3 dBC	90.7 dBF
30-Nov-2005 13:20:39		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmin (impulse):	48.6 dBA	59.5 dBC	61.0 dBF
30-Nov-2005 13:15:01		30-Nov-2005 13:09:35	30-Nov-2005 13:09:35

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Location 2.
Model/Serial Number: 824 / A3050
Firmware/Software Rev4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 2
Note1:
Note2:

Current Any Data

Start Time: 30-Nov-2005 13:09:35
Elapsed Time: 00:15:00.0

	A Weight	C Weight	Flat
Leq:	61.1 dBA	70.9 dBC	71.6 dBF
SEL:	90.6 dBA	100.4 dBC	101.2 dBF
Peak:	91.5 dBA	95.1 dBC	95.1 dBF
30-Nov-2005 13:20:39		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmax (slow):	70.2 dBA	87.6 dBC	88.0 dBF
30-Nov-2005 13:15:16		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmin (slow):	49.2 dBA	61.3 dBC	62.4 dBF
30-Nov-2005 13:15:01		30-Nov-2005 13:18:11	30-Nov-2005 13:18:11
Lmax (fast):	72.8 dBA	89.9 dBC	90.3 dBF
30-Nov-2005 13:15:16		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmin (fast):	48.3 dBA	59.5 dBC	60.5 dBF
30-Nov-2005 13:22:42		30-Nov-2005 13:18:10	30-Nov-2005 13:14:33
Lmax (impulse):	74.2 dBA	90.3 dBC	90.7 dBF
30-Nov-2005 13:20:39		30-Nov-2005 13:10:48	30-Nov-2005 13:10:48
Lmin (impulse):	48.6 dBA	59.5 dBC	61.0 dBF
30-Nov-2005 13:15:01		30-Nov-2005 13:09:35	30-Nov-2005 13:09:35

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Locat
Model/Serial Number: 824 / A3050
Firmware/Software Revs: 4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 3
Notel:
Note2:

Overall Measurement

Start Time: 30-Nov-2005 13:31:52
Elapsed Time: 00:15:00.0
Leq: 58.4 dBA
SEL: 88.0 dBA
Dose: (8 hr) 0.0 %
Proj. Dose: 0.1 %
Threshold: 0 dB
Criterion: 90 dB
Exchange Rate: 3 dB

Current Measurement

Start Time: 30-Nov-2005 13:31:52
Elapsed Time: 00:15:00.0
Leq: 58.4 dBA
SEL: 88.0 dBA
Dose: (8 hr) 0.0 %
Proj. Dose: 0.1 %
Threshold: 0 dB
Criterion: 90 dB
Exchange Rate: 3 dB

Min: 43.4 dBA 30-Nov-2005 13:42:25
Max: 70.1 dBA 30-Nov-2005 13:36:18
Peak-1: 90.9 dBF 30-Nov-2005 13:35:59
Peak-2: 84.4 dBA 30-Nov-2005 13:41:02

Min: 43.4 dBA 30-Nov-2005 13:42:25
Max: 70.1 dBA 30-Nov-2005 13:36:18
Peak-1: 90.9 dBF 30-Nov-2005 13:35:59
Peak-2: 84.4 dBA 30-Nov-2005 13:41:02

Ln Start Level:	15 dB		
L1.00	67.7 dBA	L90.00	46.0 dBA
L5.00	65.5 dBA	L95.00	45.0 dBA
L50.00	52.5 dBA	L99.00	44.1 dBA

LDN: 58.4 dBA
CNEL: 58.4 dBA
Overall Leq: 58.4 dBA

Detector: Slow

Weighting: A

SPL Exceedance Level 1:	115.0	Exceeded:	0 times
SPL Exceedance level 2:	120	Exceeded:	0 times
Peak-1 Exceedance Level:	140	Exceeded:	0 times
Peak-2 Exceedance Level:	140	Exceeded:	0 times

Hysteresis: 2

Overloaded: 0 time(s)

Paused: 0 times for 00:00:00.0

Calibrated: 30-Sep-2005 10:48:13
Checked: 30-Nov-2005 12:39:33
Calibrator 4259
Cal Records Count: 0

Offset: -45.8 dB
Level: 114.0 dB
Level: 114.0 dB

Interval Records: Enabled
History Records: Enabled
Exceedance Records: Disabled
Daily Records: Disabled
Run/Stop Records:

Number Interval Records:	1
Number History Records:	62
Number Exceedance Records:	0
Number Daily Records:	0
Number Run/Stop Records:	2

824 Memory: 2097152 bytes

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Location 3.
Model/Serial Number: 824 / A3050
Firmware/Software Rev4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 3
Notel:
Note2:

Overall Any Data

Start Time: 30-Nov-2005 13:31:52
Elapsed Time: 00:15:00.0

	A Weight	C Weight	Flat
Leq:	58.4 dBA	67.3 dBC	68.0 dBF
SEL:	88.0 dBA	96.8 dBC	97.5 dBF
Peak:	84.4 dBA	91.5 dBC	90.9 dBF
30-Nov-2005 13:41:02	30-Nov-2005 13:36:18	30-Nov-2005 13:35:59	
Lmax (slow):	70.1 dBA	80.5 dBC	80.8 dBF
30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	
Lmin (slow):	43.4 dBA	56.8 dBC	58.2 dBF
30-Nov-2005 13:42:25	30-Nov-2005 13:42:30	30-Nov-2005 13:42:30	
Lmax (fast):	72.1 dBA	83.2 dBC	83.5 dBF
30-Nov-2005 13:41:02	30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	
Lmin (fast):	42.6 dBA	54.8 dBC	55.8 dBF
30-Nov-2005 13:42:37	30-Nov-2005 13:42:30	30-Nov-2005 13:42:30	
Lmax (impulse):	72.8 dBA	83.7 dBC	84.0 dBF
30-Nov-2005 13:41:02	30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	
Lmin (impulse):	42.4 dBA	57.4 dBC	59.2 dBF
30-Nov-2005 13:31:52	30-Nov-2005 13:42:29	30-Nov-2005 13:42:29	

File Translated: W:\2004 Projects\DS Ventures - Woodland Hills\Technical Data\Noise Data\New Folder\Location 3.
Model/Serial Number: 824 / A3050
Firmware/Software Rev4.230 / 3.120
Name: Christopher A. Joseph & Assoc.
Descr1: Enter Address Line 1
Descr2: Enter Address Line 2
Setup/Setup Descr: 15_minut.log / 15 Minute
Location: DS Ventures - Location 3
Note1:
Note2:

Current Any Data

Start Time: 30-Nov-2005 13:31:52
Elapsed Time: 00:15:00.0

	A Weight	C Weight	Flat
Leq:	58.4 dBA	67.3 dBC	68.0 dBF
SEL:	88.0 dBA	96.8 dBC	97.5 dBF
Peak:	84.4 dBA	91.5 dBC	90.9 dBF
30-Nov-2005 13:41:02	30-Nov-2005 13:36:18	30-Nov-2005 13:35:59	
Lmax (slow):	70.1 dBA	80.5 dBC	80.8 dBF
30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	
Lmin (slow):	43.4 dBA	56.8 dBC	58.2 dBF
30-Nov-2005 13:42:25	30-Nov-2005 13:42:30	30-Nov-2005 13:42:30	
Lmax (fast):	72.1 dBA	83.2 dBC	83.5 dBF
30-Nov-2005 13:41:02	30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	
Lmin (fast):	42.6 dBA	54.8 dBC	55.8 dBF
30-Nov-2005 13:42:37	30-Nov-2005 13:42:30	30-Nov-2005 13:42:30	
Lmax (impulse):	72.8 dBA	83.7 dBC	84.0 dBF
30-Nov-2005 13:41:02	30-Nov-2005 13:36:18	30-Nov-2005 13:36:18	
Lmin (impulse):	42.4 dBA	57.4 dBC	59.2 dBF
30-Nov-2005 13:31:52	30-Nov-2005 13:42:29	30-Nov-2005 13:42:29	